


INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification <sup>6</sup> : <b>G06F 19/00</b>		(11) International Publication Number: <b>WO 99/09506</b>
A1		(43) International Publication Date: 25 February 1999 (25.02.99)
(21) International Application Number: PCT/US98/16850 (22) International Filing Date: 13 August 1998 (13.08.98) (30) Priority Data: 08/911,790 15 August 1997 (15.08.97) US (71) Applicant: BRIGHAM & WOMEN'S HOSPITAL, INC. [US/US]; 75 Francis Street, Boston, MA 02115 (US). (72) Inventors: KHORASANI, Ramin; 309C Winchester Street, Newton, MA 02161 (US). BATES, David, W.; 4 Lovell Road, Watertown, MA 02172 (US). VIERA, Michael; 81 Vincent Road, West Roxbury, MA 02132 (US). CHIANGO, Brian; 6 Tamar Drive, Medford, MA 02155 (US). (74) Agent: GORDON, Peter, J.; Wolf, Greenfield & Sacks, P.C., 600 Atlantic Avenue, Boston, MA 02210 (US).		(81) Designated States: CA, JP, European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE). Published With international search report. Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.

(54) Title: COMPUTER SYSTEM FOR DECISION SUPPORT IN THE SELECTION OF DIAGNOSTIC AND THERAPEUTIC TESTS AND INTERVENTIONS FOR PATIENTS

(57) Abstract

A decision support system for the selection of a diagnostic or therapeutic test or intervention, herein called studies, is supported by identifying a relative number of cases in which significant results were obtained in studies having the same indications. In particular, an ordering physician requests a study for a patient and specifies indications for the study, such as symptoms and a potential diagnosis. The number of studies performed, including those on other patients, for which results were significant for the same indications out of the total number of studies performed for the same indications is provided as feedback to the ordering physician. This feedback relates actual patient results to the appropriateness of the study. A decision support system in a health care information management system receives, from an ordering physician, an order for a study to be performed on a specified patient and indications for the study. The received indications for the selected study are used to access a database of result codes for previous studies having the same indications, including studies performed on other patients. A result of the comparison of the selected study and specified indications to the result codes database is then sent to the ordering physician. Decision support may be enhanced by using data extracted from existing scientific literature. In one embodiment, the decision support system is part of a health care management system that supports structured order entry for use by the ordering physician and a structured data entry module for entering result codes into the database.



BEST AVAILABLE COPY

**FOR THE PURPOSES OF INFORMATION ONLY**

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece			TR	Turkey
BG	Bulgaria	HU	Hungary	ML	Mali	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MN	Mongolia	UA	Ukraine
BR	Brazil	IL	Israel	MR	Mauritania	UG	Uganda
BY	Belarus	IS	Iceland	MW	Malawi	US	United States of America
CA	Canada	IT	Italy	MX	Mexico	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NE	Niger	VN	Viet Nam
CG	Congo	KE	Kenya	NL	Netherlands	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NO	Norway	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	NZ	New Zealand		
CM	Cameroon			PL	Poland		
CN	China	KR	Republic of Korea	PT	Portugal		
CU	Cuba	KZ	Kazakhstan	RO	Romania		
CZ	Czech Republic	LC	Saint Lucia	RU	Russian Federation		
DE	Germany	LI	Liechtenstein	SD	Sudan		
DK	Denmark	LK	Sri Lanka	SE	Sweden		
EE	Estonia	LR	Liberia	SG	Singapore		

# COMPUTER SYSTEM FOR DECISION SUPPORT IN THE SELECTION OF DIAGNOSTIC AND THERAPEUTIC TESTS AND INTERVENTIONS FOR PATIENTS

## FIELD OF THE INVENTION

The present invention is related to information systems for use in a health care setting, particularly for providing decision support in the selection of diagnostic and therapeutic tests and interventions for patients.

5

## BACKGROUND OF THE INVENTION

Diagnostic and therapeutic tests and interventions, including imaging studies, radiology tests, prescriptions and various other procedures, are a significant portion of health care expenditures. In an effort to improve the quality and cost effectiveness of medical care, 10 increasing emphasis has been placed on reducing inappropriate utilization of tests and interventions. It is believed that the reduction of inappropriate tests and interventions also may improve the quality of care by sparing patients from unnecessary procedures which may delay time to reach a correct diagnosis or may subject the patient to unnecessary risks.

Several methods have been implemented to manage utilization of tests and 15 interventions. These methods include education in the form of expert opinion, precertification for expensive tests, profiling of a physician's ordering behavior for comparison to standards and other colleagues' profiles, capitation of the number of tests or interventions, consultation services, and case-based reasoning systems.

In the "Clearing the Way for Physician's Use of Clinical Information Systems" by 20 James G. Anderson, in *Communications of the ACM*, August 1997, Vol. 40, No. 8, pp. 83-90, it is noted that there are many barriers to direct physician use of clinical information systems. In particular systems that either seek to change the physician's behavior or interfere with traditional practice routines are often not adopted readily by physicians.

When a system is accepted by physicians, there is also the risk that the system may 25 reinforce bad practices by being based on assumptions about appropriateness of various procedures. For example, in systems using case-based reasoning, a physician's experience is used as a knowledge base of cases. A test for a patient is selected according to the test used for patients having similar indications. In "Case-Based Reasoning and Imaging Procedure Selection" by Charles A. Kahn, Jr., in *Investigative Radiology*, Vol. 29, p. 643 (June 1994), it is 30 noted that one potential disadvantage with case-based reasoning is that such a system tends to

follow the practices of its teachers, even if those practices are not optimal or up-to-date according to established practiced guidelines.

Even the establishment of practice guidelines may be difficult because there is often disagreement among physicians as to the appropriateness of various procedures. See, for example, "Appropriateness of Imaging Procedure Requests: Do Radiologists Agree" by Charles E. Kahn, Jr., et al., in *AJR*, Vol. 169, p. 11, July 1997. This reference indicates the lack of knowledge about the relationship between appropriateness of a procedure and actual patient outcomes.

## 10 SUMMARY OF THE INVENTION

The present invention provides decision support in the selection of a diagnostic or therapeutic test or intervention, herein called studies, by identifying a relative number of cases in which significant results were obtained in studies having the same indications. For example, assuming an ordering physician requests an x-ray examination, where the indications for the x-ray are a persistent cough and to detect pneumonia. The number of studies performed, including those on other patients, for which results were significant for the same indications out of the total number of studies performed for the same indications is provided as feedback to the ordering physician. This feedback relates actual patient results to the appropriateness of the study.

20 Accordingly, one aspect of the present invention is a decision support system in a health care information management system. This system receives, from an ordering physician, an order for a study to be performed on a specified patient and indications for the study. The received indications for the selected study are used to access a database of result codes for previous studies having the same indications, including studies performed on other patients. A result of the comparison of the selected study and specified indications to the result codes database is then sent to the ordering physician. In one embodiment, the decision support system is part of a health care management system that supports structured order entry for use by the ordering physician and a structured data entry module for entering result codes into the database.

30 These and other aspects and advantages of the present invention will be better understood in view of the following detailed description and appended drawings.

## BRIEF DESCRIPTION OF THE DRAWING

In the drawing,

Fig. 1 is a block diagram of the computer system in one embodiment of the present invention;

5 Fig. 2 is an illustration of a data record in a relational database for storing result codes of a study performed on a patient;

Fig. 3 illustrates a graphical user interface for entry of result codes from studies performed on a patient;

10 Fig. 4 is an illustration of a data record representing a request for a study to be performed on a patient;

Fig. 5 illustrates a graphical user interface for providing structured order entry of studies for patients;

Fig. 6 is a flowchart describing the decision support process; and

Fig. 7 is a graphical user interface of feedback provided to an ordering physician.

15

## DETAILED DESCRIPTION

The present invention will be more completely understood through the following detailed description which should be read in conjunction with the attached drawing in which similar reference numbers indicate similar structures. All references cited herein are hereby  
20 expressly incorporated by reference.

In the present invention, decision support is evidence-based, i.e., specified indications for a selected study are compared to actual results for previous studies having the same indications, to determine the likelihood that significant results will be obtained from the study. Where available, data from existing scientific literature also may be used to enhance the online  
25 decision support. Such feedback is provided to the ordering physician by either denying the request, approving the request, or suggesting an alternative study.

One embodiment of a health care information management system implementing this form of decision support is shown in Fig. 1. The system 10 includes a structured order entry module 12 through which an ordering physician provides input 14 to generate an electronic  
30 order form 16, requesting a test or intervention, herein called studies, for a patient, along with the indications, or reasons, for the study. The structured order entry module 12, described in more detail below, may be implemented, for example, by using a set of integrated menus. One

menu may list studies which may be selected. Another menu may list indications for the study which may be specified.

A decision support module 18 receives the order and may send the order to the appropriate radiologist or other physician to schedule and perform the selected study, as indicated at 20. However, the decision support module 18 also compares the selected study and specified indications for the study to a result codes database 22 to provide some measure of the appropriateness of the requested study, i.e., the likelihood that the study will provide significant results. How this comparison is performed by the decision support module is described in more detail below in connection with Fig. 6. The decision support module 18 provides feedback 24 to the ordering physician, for example by means of some graphical user interface. While Fig. 1 shows the feedback as being directed to the structured order entry module, it may be a separate document displayed in an HTML browser to the ordering physician, for example. The result codes database 22, for which records are described in more detail below, is built by input of actual result codes for various patients by study result codes input module 24. The kinds of information that are included in the result codes database are the kind of study, indications for the study, and a code describing the results of the study.

The system as described in Fig. 1 may be implemented using a computer system programmed using appropriate software. Each of the modules 12, 18, 22 and 24 may be implemented on a single machine or on separate machines connected through a computer network, in which case the modules communicate via an appropriate protocol, such as TCP/IP. A suitable computer system to implement the system 10 or computer 12 typically includes an output device which displays information to a user. The computer system includes a main unit connected to the output device and an input device, such as a keyboard. The main unit generally includes a processor connected to a memory system via an interconnection mechanism. The input device is also connected to the processor and memory system via the connection mechanism, as is the output device.

It should be understood that one or more output devices may be connected to the computer system. Example output devices include a cathode ray tube (CRT) display, liquid crystal displays (LCD), printers, communication devices such as a modem, and audio output. It should also be understood that one or more input devices may be connected to the computer system. Example input devices include a keyboard, keypad, track ball, mouse, pen and tablet, communication device, audio input and scanner. It should be understood the invention is not

limited to the particular input or output devices used in combination with the computer system or to those described herein.

The computer system may be a general purpose computer system which is programmable using a high level computer programming language, such as "C++." The computer system also may be specially programmed, special purpose hardware. In a general purpose computer system, the processor is typically a commercially available processor, of which the series x86 processors, available from Intel, and the 680X0 series microprocessors available from Motorola are examples. Many other processors are available. Such a microprocessor executes a program called an operating system, of which windows 95 or NT, UNIX, DOS and VMS are examples, which controls the execution of other computer programs and provides scheduling, debugging, input/output control, accounting, compilation, storage assignment, data management and memory management, and communication control and related services. The processor and operating system define a computer platform for which application programs in high-level programming languages are written.

A memory system typically includes a computer readable and writeable nonvolatile recording medium, of which a magnetic disk, a flash memory and tape are examples. The disk may be removable, known as a floppy disk, or permanent, known as a hard drive. A disk has a number of tracks in which signals are stored, typically in binary form, i.e., a form interpreted as a sequence of one and zeros. Such signals may define an application program to be executed by the microprocessor, or information stored on the disk to be processed by the application program. Typically, in operation, the processor causes data to be read from the nonvolatile recording medium into an integrated circuit memory element, which is typically a volatile, random access memory such as a dynamic random access memory (DRAM) or static memory (SRAM). The integrated circuit memory element allows for faster access to the information by the processor than does the disk. The processor generally manipulates the data within the integrated circuit memory and then copies the data to the disk when processing is completed. A variety of mechanisms are known for managing data movement between the disk and the integrated circuit memory element, and the invention is not limited thereto. It should also be understood that the invention is not limited to a particular memory system.

It should be understood the invention is not limited to a particular computer platform, particular processor, or particular high-level programming language. Additionally, the

computer system may be a multiprocessor computer system or may include multiple computers connected over a computer network.

An example implementation will now be described in connection with Figs. 2 through 6. Fig. 2 illustrates a sample record that may be found in the result codes database 22. This record 30 specifies the study 32, the indications for the study 34 and various fields for result codes 36 through 42. One of the result codes, e.g., code 1, indicates whether the results are significant and clearly related to the clinical information or not. This record 30 may be found in a relational database that is used to implement the result codes database 32. This database should be structured such that a query may be run to identify the total number of records for the selected study and specified indications, and a number of those total records in which the result code shows that the study findings were significant and related to the clinical information. The database also may include decision support information that is extracted from existing scientific literature and associated with a study and a set of indications for the study.

A graphical user interface using the Netscape browser for inputting result codes for a given study for a patient is shown in Fig. 3. As an example, the user interface may present five questions 60-68. Each of the responses, of which only one may be selected for each question, is recorded in the structure 30. One of these queries, e.g., the fourth question 66, is used as the basis for measuring the appropriateness of a study given study. A letter "P", signifying positive and clearly related results to the clinical information, is the value that is counted to determine the relative relevance of a study to a given indication.

Fig. 4 illustrates a sample order as illustrated at 16 in Fig. 1. The order 16 includes an identifier 50 of a patient, the specified study 52, the indications 54 for the study and possibly other information 56. This record may be stored in a variety of forms for transmission from the structured ordered entry module 12 to the decision support module 18. For example, the order information may be stored as an HTML form that is input using an HTML document in a browser such as the Netscape Navigator HTML browser from Netscape Communications, Inc. The HTML document and the HTML browser may be used to implement the structured order entry module 12.

An example graphical user interface using an HTML browser for the structured order entry is shown in Fig. 5. The user interface may provide a menu-type selection to allow an ordering physician to select one of several kinds of studies. Given the selection of a particular kind of study, additional menus are shown. First, an ordering physician is allowed to indicate



relevant history as shown at 70. In addition, other indications for study may be specified as shown at 72. Using this information, it is possible to select, for example, acute flank pain and hematuria as relevant history as shown at 74, and to select the indication for the study as diagnosis of obstructive uropathy, as shown at 76. The selected study, patient history, and the specified indications for the selected study are processed through this interface to generate an order for submission to the decision support system.

Fig. 6 is a flowchart describing processing performed by decision support module 18 in one embodiment of the present invention. The decision support module receives an order in step 100. The database is then queried in step 102 for all records matching the selected study and the specified indications for the study in the received order. The total number of records is counted. The number of records within the retrieved set, for which the result code signifies that the study findings were significant and related to the clinical information, is then determined in step 104. A ratio, or other measure of the relation of this number to the total number of studies is determined in step 106. This value may be compared to a threshold, as shown in step 108, to determine whether the request should be accepted. If accepted, feedback is provided to the ordering physician in step 110. If the order is not accepted, or if steps 108 and 110 are omitted, appropriate feedback information is generated in step 112. This feedback information may be in several forms. For example, it may indicate the percentage of studies with significant results out of the total number of studies. This percentage may be fed back to the ordering physician as shown at feedback 24 in Fig. 1. An alternative study might be suggested, for example, by reference to data extracted from existing scientific literature stored in the database, or by searching the database for other studies having the same indications but more significant results. Decision support may be enhanced, where available, by this data extracted from existing scientific literature about the selected study and the same specified indications for the study. The ordering physician may be asked whether or not to continue with the requested study or to cancel the request. Alternatively, the request simply may be refused and this refusal may be communicated to the ordering physician. The feedback is sent to the ordering physician in step 114.

Fig. 7 is a diagram of a graphical user interface in one embodiment of the invention that provides the feedback to the ordering physician. The user interface indicates the study ordered at 80, the specified history at 82 and the specified indications for the study at 84. An opportunity to cancel the order is presented at 86, for example, in the form of a button. The

feedback to the ordering physician is provided at 88. In this example, it is shown that if obstructive uropathy is suspected in a patient with acute flank pain and hematuria, then an intravenous urogram should be superseded by ureter computer tomography (CT) which is the examination of choice in the initial evaluation of acute renal colic. Alternatively, it is possible  
5 to complete the request by providing more information as indicated at 90, including the ability to select facility to perform the study, a time, and other patient information.

By continued use of the present system, the result codes database will grow in the amount of information available and the appropriateness of various studies with respect to actual patient outcomes will become more apparent. Feedback provided will advise ordering  
10 physicians that certain studies are not likely to provide them valuable information and ordering physician behavior will gradually change. In addition, use of this system enables enforcement as well as behavior modification to occur. As a result, this managed utilization of various diagnostic studies can reduce costs.

Having now described a few embodiments of the invention, it should be apparent to  
15 those skilled in the art that the foregoing is merely illustrative and not limiting, having been presented by way of example only. Numerous modifications and other embodiments are within the scope of one of ordinary skill in the art and are contemplated as falling within the scope of the invention as defined by the appended claims and equivalent thereto.

What is claimed is:

1. A decision support system in a health care information management system, comprising:

- means for receiving from an ordering physician an order for a selected study to be performed on a specified patient, including specified indications for the study;
- means for comparing the specified indications for the selected study to a database of result codes for previous studies having the same indications and performed on patients including patients other than the specified patient; and
- means for communicating to the ordering physician a result of the comparison of the specified indications for the selected study with the result codes.

2. The decision support system of claim 1, wherein the means for comparing comprises:

means for identifying a total number of records in the database for the selected study and specified indications;

- means for identifying a number of records with significant results out of the identified records; and

means for determining a ratio of the number of records with significant results to the total number of records for the selected study and specified indications.

3. A health care information management system, comprising:

- a structured order entry module having inputs for receiving data from an input device activated by an individual and an output for providing an order including a selected study and specified indications for the study for a patient;

a database of result codes for previous tests performed on patients including patients other than the specified patient; and

a decision support module, including:

means for receiving the order from the structured order entry module;

means for comparing the specified indications of the selected study to the database; and

- means for communicating to the ordering physician a result of the comparison of the specified indications for the study with the database.

4. The health care information management system of claim 3, further comprising:  
a test result codes input module having an input for receiving data from an input device  
activated by an individual and an output for providing and storing result codes in the database.

5 5. The health care information management system of claim 4, wherein the means for  
comparing of the decision support module comprises:  
means for identifying a total number of records in the database for the selected study  
and specified indications;  
means for identifying a number of records with significant results out of the identified  
10 records; and

means for determining a ratio of the number of records with significant results to the  
total number of records for the selected study and specified indications.

6. The health care information management system of claim 3, wherein the means for  
15 comparing of the decision support module comprises:  
means for identifying a total number of records in the database for the selected study  
and specified indications;  
means for identifying a number of records with significant results out of the identified  
records; and  
20 means for determining a ratio of the number of records with significant results to the  
total number of records for the selected study and specified indications.




FIG. 1




FIG. 2




FIG. 4

60~1. Are history and/or symptoms and/or signs presented on the requisition?

Y: yes

N: no

62~2. Did you get additional clinical information?

Y: yes

N: no

64~3. In your opinion, the study is:

Y: indicated

N: not indicated

66~4. Results:

P: Positive and clearly related to the clinical information

N1. Normal.

N2. Abnormal, likely significant

N3. Abnormal, likely insignificant.

N4. Abnormal, significance not determined.

P.S. Significance of an abnormality is defined as to  
when the referring physician will likely take an action  
based on this result, in your opinion. You can only use  
one of the codes for the results (P,N1,N2,N3,N4,Q)

Q: Equivocal.

68~5. Is there any change from prior study? (by report or direct comparison)

U: unchanged

C: change

O: no priors

**FIG. 3**

4/6

GI/GU Fluoroscopy -- IVP/IVU	
Relevant History (choose at least one)	
<input checked="" type="checkbox"/> Acute flank pain	<input type="checkbox"/> Post-op (specify below)
<input type="checkbox"/> Recurrent flank pain	<input type="checkbox"/> Benign prostatic hyperplasia
<input checked="" type="checkbox"/> Hematuria	<input type="checkbox"/> Reflux nephropathy
<input type="checkbox"/> Urolithiasis/nephrolithiasis	<input type="checkbox"/> Incontinence
<input type="checkbox"/> Recurrent UTI	<input type="checkbox"/> Renal insufficiency
<input type="checkbox"/> Trauma	<input type="checkbox"/> Hypertension
Other: <input type="text"/>	
R/O or Assess (choose at least one)	
<input checked="" type="checkbox"/> Obstructive uropathy	<input type="checkbox"/> Post-op complications
<input type="checkbox"/> Renal mass	<input type="checkbox"/> Anatomy
<input type="checkbox"/> Nephro/urolithiasis	<input type="checkbox"/> Pyleonephritis
<input type="checkbox"/> Urothelial lesion	<input type="checkbox"/> Renal artery stenosis
<input type="checkbox"/> Vesicoureterio reflux	
Other: <input type="text"/>	

Additional clinical history (optional):


		↑
		↓
←		→

Enter

Reset

FIG. 5



**FIG. 6**

6/6

Exam ordered: GI/GU/Fluoro.Intravenous urogram ~80

History:

- Acute flank pain
  - Hematuria
- } 82

Ruleout/Assess:

- Obstructive uropathy
- } 84

86

Cancel this order and re-order

88

Dedicated ureter CT performed without oral or intravenous contrast and equal in charges to an intravenous urogram, is the examination of choice in the initial evaluation of acute renal colic.

90

Select a facility to perform the exam:

Select a time to perform the exam:

Date (mm/dd/yy):

Indicate patient pregnancy status:

**FIG. 7**

A. CLASSIFICATION OF SUBJECT MATTER  
IPC 6 G06F19/00

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 6 G06F

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	ROESSINK B ET AL: "Problem-oriented access to clinical literature on acute cardiac ischemia" PROCEEDINGS. COMPUTERS IN CARDIOLOGY (CAT. NO.91CH3116-1), VENICE, ITALY, 23-26 SEPT. 1991, pages 729-732, XP000312525 ISBN 0-8186-2485-X, 1991, Los Alamitos, CA, USA, IEEE Comput. Soc. Press, USA	1,3
A	see page 729, left-hand column, line 1 - page 732, left-hand column, line 4	2,4-6
A	US 5 517 405 A (MCANDREW ET AL) 14 May 1996 see abstract see column 4, line 45 - column 5, line 38 --- -/--	1-6

☒ Further documents are listed in the continuation of box C.

☒ Patent family members are listed in annex.

\* Special categories of cited documents:

"A" document defining the general state of the art which is not considered to be of particular relevance

"E" earlier document but published on or after the international filing date

"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

"O" document referring to an oral disclosure, use, exhibition or other means

"P" document published prior to the international filing date but later than the priority date claimed

"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.

"&" document member of the same patent family

Date of the actual completion of the international search

9 December 1998

Date of mailing of the international search report

28/12/1998

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2  
NL - 2280 HV Rijswijk  
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,  
Fax: (+31-70) 340-3016

Authorized officer

Schenkels, P

# INTERNATIONAL SEARCH REPORT

Inter national Application No

PCT/US 98/16850

## C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	EP 0 332 322 A (ELSEVIER SCIENCE PUBLISHING CO) 13 September 1989 see column 4, line 3 - column 9, line 58 ---	1-6
A	EP 0 303 930 A (SYNTHES AG) 22 February 1989 see abstract see page 3, line 4 - line 29 ---	1-6
A	LONDON J W ET AL: "Strategies for PC/ISDN-based telemedicine consultations" PROCEEDINGS OF THE INTERNATIONAL SYMPOSIUM ON COMPUTER AND COMMUNICATION SYSTEMS FOR IMAGE GUIDED DIAGNOSIS AND THERAPY, PROCEEDINGS OF CAR'96: COMPUTER ASSISTED RADIOLOGY-10TH INTERNATIONAL SYMPOSIUM, PARIS, FRANCE, JUNE 1996, pages 585-590, XP002087291 ISBN 0-444-82497-9, 1996, Amsterdam, Netherlands, Elsevier, Netherlands see page 586, line 6 - line 39 -----	1,3

Patent document cited in search report		Publication date	Patent family member(s)		Publication date
US 5517405	A	14-05-1996	NONE		
EP 0332322	A	13-09-1989	US	4945476 A	31-07-1990
			JP	2008959 A	12-01-1990
EP 0303930	A	22-02-1989	US	4839822 A	13-06-1989
			CA	1291825 A	05-11-1991

**This Page is Inserted by IFW Indexing and Scanning  
Operations and is not part of the Official Record**

**BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ BLACK BORDERS
- ☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
- ☒ FADED TEXT OR DRAWING
- ☒ BLURRED OR ILLEGIBLE TEXT OR DRAWING
- ☐ SKEWED/SLANTED IMAGES
- ☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
- ☐ GRAY SCALE DOCUMENTS
- ☐ LINES OR MARKS ON ORIGINAL DOCUMENT
- ☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
- ☐ OTHER: \_\_\_\_\_

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.**